

Supplementary Table S1. Length and weight of freshwater fish species examined in the present study

Fish species	No. of fish examined	Length (cm)		Weight (g)	
		Range	Average	Range	Average
<i>Acheilognathus lanceolatus</i>	32	6.9–9.2	7.3	5.08–13.82	9.3
<i>Acheilognathus majusculus</i>	12	7.2–11.1	8.9	4.99–19.6	10.8
<i>Carassius auratus</i>	1	13.7	–	38.55	–
<i>Coreoperca herzi</i>	7	9.3–13.4	11.4	7.93–34.67	25.80
<i>Misgurnus anguillicaudatus</i>	1	13.6	-	12.66	-
<i>Nipponocypris temminckii</i>	35	10.4–13.9	11.7	11.27–35.68	23.54
<i>Pungtungia herzi</i>	51	11.1–13.6	12.1	13.69–25.46	16.12
<i>Pseudogobio esocinus</i>	5	9.6–15.8	12.3	10.55–30.81	24.32
<i>Sarcocheilichthys nigripinnis morii</i>	8	11.2–12.9	10.8	13.5–27.3	16.53
<i>Squalidus japonicus koreanus</i>	8	9.4–14.3	11.6	4.41–25.56	27.1
<i>Zacco platypus</i>	51	10.6–15.9	12.8	12.01–36.18	26.06