

Supplementary Table S1. Infection status of *Clonorchis sinensis* metacercariae in fish from Soyang-cheon (stream) in Wanju-gun, Jeollabuk-do, Korea

Year and fish sp.	No. of fish examined	No. (%) of fish infected	No. of CsMc detected	
			Range	Average
2013				
<i>Pungtungia herzi</i>	24	24 (100)	1-225	54.3
<i>Sarcocheilichthys variegatus</i>	7	7 (100)	1-19	7.3
<i>Acheilognathus yamatsutae</i>	7	3 (42.9)	1-2	1.3
<i>Zacco platypus</i>	6	2 (33.3)	-	1.0
Subtotal	44	36 (81.8)	1-225	37.8
2014				
<i>Pungtungia herzi</i>	40	40 (100)	1-56	15.7
<i>Pseudogobio esocinus</i>	20	1 (5.0)	-	1.0
<i>Hemibarbus longirostris</i>	17	1 (5.8)	-	1.0
Subtotal	77	42 (54.6)	1-56	15.0
2015				
<i>Pungtungia herzi</i>	34	33 (97.1)	1-97	17.4
<i>Pseudogobio esocinus</i>	24	1 (4.2)	-	1.0
<i>Hemibarbus longirostris</i>	21	2 (9.5)	-	1.0
<i>Acheilognathus yamatsutae</i>	6	1 (16.7)	-	1.0
<i>Acanthorhodeus macropterus</i>	6	1 (16.7)	-	1.0
Subtotal	91	38 (41.8)	1-97	15.2
2018				
<i>Zacco platypus</i>	40	2 (5.0)	1-7	4.0
<i>Pungtungia herzi</i>	38	10 (26.3)	1-53	9.1
<i>Hemibarbus longirostris</i>	28	2 (7.1)	2-3	2.5
<i>Pseudogobio esocinus</i>	27	7 (25.9)	1-5	2.0
<i>Coreoperca herzi</i>	8	1 (12.5)	-	1.0
<i>Gnathopogon strigatus</i>	1	1 (100)	-	3.0
Subtotal	142	23 (16.2)	1-53	5.3
2019				
<i>Pungtungia herzi</i>	49	48 (98.0)	1-2,310	422
<i>Pseudogobio esocinus</i>	41	4 (9.8)	1-2	1.3
<i>Zacco platypus</i>	40	2 (5.0)	1-4	2.5
<i>Odontobutis platycephala</i>	27	1 (3.7)	-	1.0
<i>Hemibarbus longirostris</i>	24	1 (4.2)	-	6.0
<i>Zacco koreanus</i>	20	1 (5.0)	-	1.0
<i>Gnathopogon strigatus</i>	10	4 (40.0)	1-2	1.3
<i>Coreoleuciscus splendidus</i>	4	1 (25.0)	-	1.0
<i>Squalidus chankaensis</i>	3	3 (100)	3-8	4.7
<i>Sarcocheilichthys variegatus</i>	2	2 (100)	75-433	254
<i>Acheilognathus koreensis</i>	1	1 (100)	-	11.0
Subtotal	221	68 (30.8)	1-2,310	306
Total	328	122 (37.2)	1-2,310	42.9